

# S-Team: YOUR STEAM TEAM!



# Advantages of cleaning with steam

## Cleaning and sanitizing with steam

Steam generators, by heating the water inside their boiler and transforming it into steam, are professional machines ideal for sanitizing and hygienically clean any type of surface. The high temperature and elevated operating pressure are able to dissolve dirt and completely eliminate microorganisms, bacteria and pathogens, germs and parasites (mites, fleas and ticks) in a quickly and easily way. The ability to carry out deeper cleansing operations, thanks to the combination of the cleaning power of the steam and the use of detergent solutions, allow the steam generators to tackle even the most stubborn dirt.



## Ecological and economic

The ability to sanitize different materials and surfaces without the use of chemicals is one of the advantages of cleaning with steam. An economical and natural cleaning process, which does not damage the environment by using small amounts of water and reducing waste.



# S-Team: YOUR STEAM TEAM!

The new team of steam generators, designed to sanitize the most different types of environments and surfaces, represents the concrete response to the needs of professional cleaning and sanitization in a quick and safe way.

Start-and-go machines, easy to use, available in two different solutions to face every kind of challenge: from the compact steam cleaner **S-Team 6**, ideal for medium-small environments, to the more capacious **S-Team 6 V** and **S-Team 10 VH** equipped with professional suction system.

Characterized by great sturdiness and extreme practicality, they are resistant and highly performing machines. **Equipped with powerful (up to 3400 W) and large boilers (from 1.5 to 3.5 l capacity) capable of producing from 4.5 to 6 kg H<sub>2</sub>O/h steam, 6 V and 10 VH versions are accompanied by powerful suction systems (1150 W).**

The wide range of standard and optional accessories completes the offer and allows the S-Team family to go and work in any type of environment and surface (flooring, glass, steel, fabrics). **A complete set of solutions and technical features that allows to operate in different sectors, from domestic to Ho.Re.Ca, up to uses in the automotive and industry.**



# S-Team: YOUR STEAM TEAM!



TYPE	REF. NO.
S-Team 6	14072910001



TYPE	REF. NO.
S-Team 6 V	14081610001




TYPE	REF. NO.
S-Team 10 VH	14091610001

# Steam cleaner S-Team 6

S-Team 6 is the professional steam cleaner designed for cleaning and sanitizing environments and surfaces. The **production of dry steam at 160 °C** and an **operating pressure of 6 bar**, along with the high productivity (it is possible to recharge the machine without turning it off), guarantee excellent cleaning results without the use of detergents. R Strength and manoeuvrability make S-Team 6 an extremely versatile machine able to work in any type of environment (floors, glass, steel, fabrics and hard surfaces).



# Steam cleaner S-Team 6 – Strength and productivity



## Boiler:

- continuous charging boiler: it is possible to recharge the machine without turning it off.
- thanks to its **1.5 l capacity** and resistance of **3200 W**, is able to produce up to **4.5 kg H<sub>2</sub>O/h steam**.
- it is possible to activate one or both resistances in the boiler, allowing the machine to operate at 2200 W (as well as the maximum power of 3200 W)

TECHNICAL DATA		
Max Power	w	3200
Max power consumption	w	3200
<b>Boiler max power</b>	<b>w</b>	<b>3200</b>
<b>Rated boiler capacity</b>	<b>l</b>	<b>1,5</b>
<b>Useful boiler capacity</b>	<b>l</b>	<b>1,5</b>
<b>Pressure</b>	<b>bar</b>	<b>6</b>
<b>Temperature</b>	<b>°C</b>	<b>160</b>
<b>Steam production</b>	<b>kg H<sub>2</sub>O/h</b>	<b>4,5</b>


# Steam cleaner S-Team 6 – practical and intuitive

Display with controls for an easy and intuitive control of S-Team 6 functions and immediate feedback while working.



## TURBOPOWER activation button

The function that allows the professional use of the machine both in home use or commercial environments, characterized by low voltage electrical systems, and in contexts in which it operates up to 3200 W of power, such as workshops. Simply press the TurboPower button to enable or disable the function that allows to switch from 2200 W to the maximum power of S-Team 6 (3200 W).



Main switch

Steam power



## HOT WATER activation button

The function that allows to deliver a jet of high temperature wet steam, taken directly from the boiler, which, combined with the normal supply of dry steam, is suitable for cleaning the most resistant dirt. Just press the button on the handle of the flexible hose to activate the function.



**ghibli & wirbel**

# Steam cleaner S-Team 6 – ergonomics and manoeuvrability



Transport handle



Water tank



Cable holder

Four pivoting wheels allow maximum manoeuvrability of the machine

for an easy storage of the 5 meters long cable



# Steam cleaner S-Team 6 – standard accessories

The wide range of standard and optional accessories allows S-Team 6 to work in any type of environment (floors, glass, steel, fabrics and hard surfaces).

TYPE	REF.NO.
Flexible hose steam with handle (2,5 m)	6010521
Rigid extension steam (x2)	2512001
Steam rectangular brush	2511616
Steam triangular brush	2511617
Nozzle joint	2511830
Glass cleaner	2511831
Curved steam lance (175 mm)	2511832
White microfiber cloth for rectangular brush	8027020
Cloth for triangular brush	8027021
Polyester round brush Ø 28	2511833
Brass round brush Ø 28	2511834
Polyester round brush Ø 40	2511835
Polyester round brush Ø 65	2511836
Refilling bottle I 1,2	8027022



Flexible hose steam with handle  
(2,5 m)



Rigid extension steam  
(x2)



Nozzle joint



Glass cleaner



Curved steam lance  
(175 mm)



Steam rectangular brush and cloth



Steam triangular brush and cloth



Round brushes



Refilling bottle I 12

# Steam cleaner S-Team 6 – optional accessories

The wide range of standard and optional accessories allows S-Team 6 to work in any type of environment (floors, glass, steel, fabrics and hard surfaces).

TYPE	REF.NO.
Steam rectangular tool with velcro	2511618
Rectangular cloth for delicate surface	8027023
Padded cloth for triangular brush	8027034
Scraper	2511619
Horsehair round brush Ø 28	2511821
Stainless steel round brush Ø 28	2511628
Stainless steel round brush Ø 40	2511629
Brass round brush Ø 40	2511634
Stainless steel round brush Ø 65	2511635
Brass round brush Ø 65	2511636
Polyester triangular brush	2511637
Brass triangular brush	2511638
Stainless steel triangular brush	2511639
Blue kit: 3 polyester round brush Ø 28/40/65 + cloth	7500901
Green kit: 3 polyester round brush Ø 28/40/65 + cloth	7500902
Yellow kit: 3 polyester round brush Ø 28/40/65 + cloth	7500909
Red kit: 3 polyester round brush Ø 28/40/65 + cloth	7500913
Heated steam brush	7509066
Kit sanity	7509067
Chromed trolley	2001821



# Steam cleaner S-Team 6 – technical data



TYPE	REF. NO.
S-Team 6	14072910001

TECHNICAL DATA		
Power supply		220-240 V~ 50/60 Hz
Max Power	w	3200
Max power consumption	w	3200
Boiler max power	w	3200
Rated boiler capacity	l	1,5
Useful boiler capacity	l	1,5
Resistance power	w	2200+1000
Ampère	A	14
Pressure	bar	6
Temperature	°C	160
Steam production	kg H <sub>2</sub> O/h	4,5
Recharge tank capacity	l	2, 2
IP code		IPX4
Power supply cable	m	5
Weight (without accessories)	Kg	10,3
Dimensions	mm	500x280x350


# Steam vacuum cleaner S-Team 6 V

S-Team 6 V is the steam vacuum cleaner with professional suction system designed for cleaning and sanitizing surfaces and environments. The **production of dry steam at 160 °C** and an **operating pressure of 6 bar**, along with the **powerful 1150 W vac motor**, guarantee excellent cleaning and drying results. During deeper cleaning operations, to tackle the most stubborn dirt, it is possible to activate the Detergent Function directly from the control panel.

Sturdy and resistant and extremely manoeuvrable thanks to the trolley equipped with an ergonomic handle and a practical basket for objects, S-Team 6 V is ideal for operating in Ho.Re.Ca, healthcare, transport and public institutions.



# Steam vacuum cleaner S-Team 6 V – Strength and productivity



## Boiler:

- continuous charging boiler: it is possible to recharge the machine without turning it off
- thanks to its **1.5 l capacity** and resistance of **3200 W**, is able to produce up to **4.5 kg H<sub>2</sub>O/h steam**.

TECHNICAL DATA		
Max Power	w	4200
Max power consumption	w	3200
<b>Vacuum power nom/max rating</b>	<b>w</b>	<b>1000/1150</b>
<b>Boiler max power</b>	<b>w</b>	<b>3200</b>
<b>Rated boiler capacity</b>	<b>l</b>	<b>1,5</b>
<b>Useful boiler capacity</b>	<b>l</b>	<b>1,5</b>
Resistance power	w	2200+1000
Ampère	A	14
<b>Pressure</b>	<b>bar</b>	<b>6</b>
<b>Temperature</b>	<b>°C</b>	<b>160</b>
<b>Steam production</b>	<b>kg H<sub>2</sub>O/h</b>	<b>4,5</b>
Air flow rate	l/s	53
Vacuum	mbar	190



## Suction motor:

S-Team 6 V is equipped with the powerful **1150 W** vac motor that combined with dry steam at 160 °C allows to reach the best cleaning and drying performance on the surfaces.

# Steam vacuum cleaner S-Team 6 V – practical and intuitive

Control panel with display for an easy and intuitive control of S-Team 6 V functions and immediate feedback while working.




Steam power

Main switch

## DETERGENT FUNCTION activation button

Just press the DETERGENT button on the control panel to activate the function and adjust the dosage of the dispensed solution. The power of steam combined with the action of cleaning solution can remove the most stubborn dirt.



## WATER AND CLEANING SOLUTION TANKS

The machine is very easy to fill and empty thanks to tank suction accessory. The level indicators allow to control quantity of water or water and chemical in the tanks.

# Steam vacuum cleaner S-Team 6 V – ergonomics and manoeuvrability



# Steam vacuum cleaner S-Team 6 V – technical data



TYPE	REF. NO.
S-Team 6 V	14081610001

TECHNICAL DATA		
Power supply		220-240 V~ 50/60 Hz
Max Power	w	4200
Max power consumption	w	3200
Vacuum power nom/max rating	w	1000/1150
Boiler max power	w	3200
Rated boiler capacity	l	1,5
Useful boiler capacity	l	1,5
Resistance power	w	2200+1000
Ampère	A	14
Pressure	bar	6
Temperature	°C	160
Steam production	kg H <sub>2</sub> O/h	4,5
Air flow rate	l/s	53
Vacuum	mbar	190
Recovery tank capacity	l	6
Cleaning solution tank capacity	l	2, 2
Recharge tank capacity	l	2, 2
IP code		IPX4
Power supply cable	m	4,5
Weight (without accessories)	Kg	28,5
Dimensions	mm	760x450x1080




# Steam vacuum cleaner S-Team 10 VH

S-Team 10 VH is the steam vacuum cleaner with professional suction system designed for cleaning and sanitizing surfaces and environments. The **steam production at 185 °C** and the high **operating pressure of 10 bar**, along with the **powerful 1150 W vac motor** guarantee excellent cleaning and drying results. The practical control panel allows the operator to keep all the machine's activities under control. In fact it is possible to enable both the **Detergent Function** and the **Hydrojet Function** that, thanks to a powerful jet of steam mixed with water, allows the machine to deal with the most stubborn dirt. S-Team 10 VH is the steam vacuum cleaner ideal for operating in sectors such as mechanical industry, food, health and public institutions.



# Steam vacuum cleaner S-Team 10 VH – Strength and productivity



## Boiler:

- continuous charging boiler: it is possible to recharge the machine without turning it off
- thanks to its **3.5 l capacity** and resistance of **3400 W**, is able to produce up to **6 kg H<sub>2</sub>O/h steam**.



## Suction motor:


S-Team 10 VH is equipped with the powerful **1150 W vac motor** that combined with dry steam at 185 °C allows to reach the best cleaning and drying performance on the surfaces. To active the suction, turn on the switch on the vac motor head and then press the button on the handle of the flexible hose.

## TECHNICAL DATA

Max Power	w	4400
Max power consumption	w	3200
<b>Vacuum power nom/max rating</b>	<b>w</b>	<b>1000/1150</b>
<b>Boiler max power</b>	<b>w</b>	<b>3400</b>
<b>Rated boiler capacity</b>	<b>l</b>	<b>3,5</b>
<b>Useful boiler capacity</b>	<b>l</b>	<b>3,5</b>
Resistance power	w	2200+1200
Ampère	A	14
<b>Pressure</b>	<b>bar</b>	<b>10</b>
<b>Temperature</b>	<b>°C</b>	<b>185</b>
<b>Steam production</b>	<b>kg H<sub>2</sub>O/h</b>	<b>6</b>
Air flow rate	l/s	53
Vacuum	mbar	190

# Steam vacuum cleaner S-Team 10 VH – practical and intuitive

Control panel with display for an easy and intuitive control of S-Team 6 V functions and immediate feedback while working



# Steam vacuum cleaner S-Team 10 VH – ergonomics and manoeuvrability

Trolley with ergonomic handle

Practical and durable basket holder for accessories

Water and cleaning solution tanks

Handle

Steel tank easy to remove and empty

Wheels with large diameter

Front pivoting wheels with brake and directional lock, make the machine extremely manoeuvrable and allow to work safely

Level indicator  
5 l capacity

# Steam vacuum cleaner S-Team 10 VH – technical data



TYPE	REF. NO.
S-Team 10 VH	14091610001

TECHNICAL DATA		
Power supply		220-240 V~ 50/60 Hz
Max Power	w	4400
Max power consumption	w	3200
Vacuum power nom/max rating	w	1000/1150
Boiler max power	w	3400
Rated boiler capacity	l	3,5
Useful boiler capacity	l	3,5
Resistance power	w	2200+1200
Ampère	A	14
Pressure	bar	10
Temperature	°C	185
Steam production	kg H <sub>2</sub> O/h	6
Air flow rate	l/s	53
Vacuum	mbar	190
Recovery tank capacity	l	6
Cleaning solution tank capacity	l	5
Recharge tank capacity	l	5
IP code		IPX4
Power supply cable	m	7,5
Weight (without accessories)	Kg	38,2
Dimensions	mm	830x480x1170

# Steam vacuum cleaners S-Team 6 V e 10 VH – standard accessories

The wide range of standard and optional accessories completes the offer and allows S-Team 6 V and S-Team 10 VH to work in any type of environment, on hard surfaces (floors, glass, steel) and even on fabrics.

TYPE	REF.NO.
Flexible hose steam/vacuum (3 m)	6010522
Rigid extension steam/vacuum (x2)	2512002
Steam/vacuum floor tool body (280 mm)	2511609
Insert bristle and squeegee tool (280 mm)	2005336
Carpet protection tool (280 mm)	2005337
Glass cleaner (250 mm)	2511837
Large suction tool + squeegee	2511838
Transparent upholstery steam/vacuum tool	2511839
Small curved suction tool	2511840
Steam lance - accessories holder	2511841
Polyester round brush Ø 28	2511833
Polyester round brush Ø 40	2511835
Stainless steel round brush Ø 40	2511629
Brass round brush Ø 40	2511634
Polyester round brush Ø 65	2511836
White microfiber cloth for rectangular brush	8027020
Tank suction accessory	2511842



Flexible hose steam/vacuum with handle (3 m)



Rigid extension steam/vacuum (x2)



Steam/vacuum floor tool body and inserts



White microfiber cloth for rectangular brush



Glass cleaner



Large suction tool + squeegee



Transparent upholstery steam/vacuum tool



Small curved suction tool



Steam lance - accessories holder



Wide range of round brushes



Tank suction accessory

# Steam vacuum cleaners S-Team 6 V e 10 VH – optional accessories

TYPE	REF.NO.
Steam/vacuum tool body (400 mm)	2511605
Insert wet tool (400 mm)	2005338
Insert bristle tool (400 mm)	2005339
Insert carpet tool (400 mm)	2005342
Steam/vacuum tool body (150 mm)	2511801
Insert squeegee tool (150 mm)	2005347
Insert bristle tool (150 mm)	2005348
Steam lance (198 mm)	2511811
Steam/vacuum crevice tool	2511802
Transparent tool (230 mm)	2511803
Steam lance with transparent tool (285 mm)	2511804
Steam lance with transparent tool (225 mm)	2511805
Rotating lance	2511806
Plunger	2511807
Kit sanity	2511808
Flexible hose steam with hydrojet handle (6 m)	6010523
Turbo brush	2511809
Scraper	2511619
Brass round brush Ø 28	2511834
Horsehair round brush Ø 28	2511821
Stainless steel round brush Ø 28	2511628
Stainless steel round brush Ø 65	2511635
Brass round brush Ø 65	2511636
Polyester triangular brush	2511637
Brass triangular brush	2511638
Stainless steel triangular brush	2511639
Blue kit: 3 polyester round brush Ø 28/40/65 + cloth	7500901
Green kit: 3 polyester round brush Ø 28/40/65 + cloth	7500902
Yellow kit: 3 polyester round brush Ø 28/40/65 + cloth	7500909
Red kit: 3 polyester round brush Ø 28/40/65 + cloth	7500913
Refilling bottle I 1,2	8027022



# S-Team: YOUR STEAM TEAM!

